## CLAIMS

T 4 77			1			1	
Wh	at.	10	$\alpha$	21	m	$\Delta \alpha$	10
V V 1 I	<i>a</i> ı	1.7	1 . I	a	111	CU	10

1	L		1.	A method of keeping a periodically refreshed image on a user's				
2	2	system, the method comprising:						
3	3		receiv	ring a plurality of images;				
4	Į.		ident	ifying a most interesting image and selecting the most interesting				
5	5	image	nage as a current image; and					
6	5		sendi	ng the current image to the user.				
-	L		2.	The method of claim 1, wherein identifying the most interesting				
2	2	image	comp	rises:				
3	3		deter	mining movement with the image; and				
4	4		select	ting the image with the most movement.				
•	1		3.	The method of claim 1, wherein identifying the most interesting				
,	2	image	comp	orises:				
,	3		ident	ifying persons within the image; and				
4	4		selec	ting the image with the most persons.				
	1		4.	The method of claim 1, wherein identifying the most interesting				
	2	image	e comp	prises:				
	3		ident	rifying an item of interest; and				
	4		selec	ting the image that contains the item of interest.				
	1		5.	The method of claim 1, further comprising, when it is time to				
	2	refres	h the i	image:				
	3		dete	rmining if the current image is still the most interesting image; and				
	4		refre	shing the current image if it is still the most interesting image.				

1	6.	The method of claim 5, wherein if the current image is no longer					
2	the most int	eresting image,					
3	ident	identifying a most interesting current image; and					
4	displ	aying the most interesting current image.					
1	7.	The method of claim 6, wherein a change from a first image to a					
2	second imag	ge is anti-hysteretic, such the change in the display is slower than an					
3	actual chang	ge.					
1	8.	The method of claim 7, wherein a minimum time is set between					
2	changing th	e current image.					
1	9.	A apparatus to keep a periodically refreshed image on a user's					
2	system, the	apparatus comprising:					
3	an in	terface to receive a plurality of images;					
4	an in	terest logic to identify a most interesting image; and					
5	an in	nage selector to select the most interesting image as a current image					
6	to be sent to	o the user.					
1	10.	The apparatus of claim 9, wherein the interest logic comprises:					
2	a mo	otion detector to detect movement with the image and select the image					
3	with the me	ost motion.					
1	11.	The apparatus of claim 9, wherein the interest logic comprises:					
2	an item identification logic to identify people within the image and to						
3	select the image with the most people.						

1	12. The apparatus of claim 9, wherein the interest logic comprises:				
2	an item identification logic to identify an item of interest and to select the				
3	image that contains the item of interest.				
1	13. The apparatus of claim 9, further comprising:				
2	a refresh logic to periodically refresh the image being displayed;				
3	the interest logic to determine if the image sent by a current camera is still				
4	the most interesting image prior to a refresh; and				
5	the refresh logic to refresh the image from the current camera if it is still				
6	has the most interesting image.				
1	14. The apparatus of claim 13, wherein if the image from the current				
2	camera is no longer the most interesting image, the interest logic is further to				
3	identify a most interesting current image; and				
4	the refresh logic to refresh the most interesting current image.				
1	15. The apparatus of claim 14, wherein a change from a first image to a				
2	second image is anti-hysteretic, such that images change gradually.				
1	16. The apparatus of claim 15, wherein a minimum time is set between				
2	changing the current image.				
1	19. A system of providing images to a user, the system comprising:				
2	a plurality of cameras for periodically obtaining images, and sending the				
3	images to a server;				
4	a comparison logic to identify a most interesting image from the plurality				
5	of cameras; and				
6	an interface to send the most interesting image from the server through a				

- 7 network to a user.
- 1 20. The system of claim 19, wherein the comparison logic is in the
- 2 server.
- 1 21. The system of claim 19, wherein the comparison logic is in a camera
- 2 control system, coupled to the server through a network; and
- 3 wherein the comparison logic receives images from a plurality of cameras
- 4 and sends a single image, the most interesting image, to the server.